

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FIL	ING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO
09/888,920 06/25/2001		5/25/2001	Thomas J. Holman	1001.1181102	9756
28075	7590	05/26/2004		EXAMINER	
	*	ER & TUFTE, LL	HAYES, M	HAYES, MICHAEL J	
1221 NICOLLET AVENUE SUITE 800				ART UNIT	PAPER NUMBER
MINNEAPO	MINNEAPOLIS, MN 55403-2420			3763	
			DATE MAILED: 05/26/2004		

Please find below and/or attached an Office communication concerning this application or proceeding.

		Application No.	Applicant(s)					
		09/888,920	HOLMAN ET AL.					
	Office Action Summary	Examiner	Art Unit					
		Michael J Hayes	3763					
	The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply							
THE I - Exter after - If the - If NC - Failu Any	ORTENED STATUTORY PERIOD FOR REPLY MAILING DATE OF THIS COMMUNICATION. nsions of time may be available under the provisions of 37 CFR 1.13 SIX (6) MONTHS from the mailing date of this communication. period for reply specified above is less than thirty (30) days, a reply or period for reply is specified above, the maximum statutory period were to reply within the set or extended period for reply will, by statute, reply received by the Office later than three months after the mailing and patent term adjustment. See 37 CFR 1.704(b).	16(a). In no event, however, may a reply be within the statutory minimum of thirty (30) d rill apply and will expire SIX (6) MONTHS fro cause the application to become ABANDON	timely filed ays will be considered timely. m the mailing date of this communication. NED (35 U.S.C. § 133).					
Status								
1)⊠	Responsive to communication(s) filed on 10 M	<u>arch 2004</u> .						
	This action is FINAL . 2b) This action is non-final.							
3)[Since this application is in condition for allowance except for formal matters, prosecution as to the merits is							
	closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.							
Dispositi	ion of Claims							
4)🖂	Claim(s) 27-40 is/are pending in the application	١,						
,	4a) Of the above claim(s) <u>30-34 and 40</u> is/are withdrawn from consideration.							
5)	Claim(s) is/are allowed.							
	Claim(s) <u>27-29 and 35-39</u> is/are rejected.							
•	Claim(s) is/are objected to.							
8)	Claim(s) are subject to restriction and/o	r election requirement.						
Applicat	ion Papers							
9)[The specification is objected to by the Examine	r.						
10) \boxtimes The drawing(s) filed on <u>6/25/01/</u> is/are: a) \boxtimes accepted or b) \square objected to by the Examiner.								
	Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).							
	Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d). 11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.							
11)	The oath or declaration is objected to by the Ex	aminer. Note the attached Office	ce Action of form PTO-152.					
Priority (under 35 U.S.C. § 119							
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 								
Attachmer	nt(s) ce of References Cited (PTO-892)	4) 🔲 Interview Summa	ary (PTO-413)					
2) Notice	ce of Draftsperson's Patent Drawing Review (PTO-948)	Paper No(s)/Mail	Date					
	mation Disclosure Statement(s) (PTO-1449 or PTO/SB/08) er No(s)/Mail Date	5) Notice of Informa 6) Other:	al Patent Application (PTO-152)					
. up								

Art Unit: 3763

DETAILED ACTION

Claim Objections

Claim 39 is objected to because of the following informalities: Applicant has recited the term "PEBA" in the claim using capital letters, that is appropriate when reciting trademarks in the claims. Since peba is not a trademark it is suggested that Applicant not use capital letters.

Claim Rejections - 35 USC § 112

The following is a quotation of the first paragraph of 35 U.S.C. 112:

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.

Claims 29 and 35 are rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the written description requirement. The claim(s) contains subject matter which was not described in the specification in such a way as to reasonably convey to one skilled in the relevant art that the inventor(s), at the time the application was filed, had possession of the claimed invention. There was no description in the application, as filed, for a helical wall thickness that decreases distally.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

⁽b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Art Unit: 3763

Claims 27 and 28 are rejected under 35 U.S.C. 102(b) as being anticipated by DAVILA (US Patent No. 5,466,230). Davila discloses a catheter tube hub 10 having a lumen, proximal and distal portions, a helical wall 15 having plurality of bends separated by spaces, where the proximal portion is thicker than the distal portion. See figs. 1-4.

Claims 27 and 28 are rejected under 35 U.S.C. 102(b) as being anticipated by SUZUKI et al. (U.S. Patent No. 4,682,981). Suzuki discloses a catheter tube hub 4 having a lumen, proximal and distal portions, a helical wall 23 having plurality of bends separated by spaces, where the proximal portion is thicker than the distal portion. See fig. 8B.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claims 29 and 35 are rejected under 35 U.S.C. 103(a) as being unpatentable over DAVILA or SUZUKI as applied to claims 27 above, and further in view of LALIKOS (US Patent No. 5,143,409). Davila or Suzuki each disclose the claimed invention as discussed above, except for the decreasing thickness of the helical wall strain relief. Lalikos teaches decreasing the thickness of strain relief structure to provide a gradual diminishing of the stress relief action (col. 4, lines 23-29). It would have been obvious to

Art Unit: 3763

one of ordinary skill in the art at the time of the invention to use the teachings of Lalikos in the devices of Davila or Suzuki in order to have less bending at the proximal end.

Claims 36, 37, 38, and 39 are rejected under 35 U.S.C. 103(a) as being unpatentable over DAVILA or SUZUKI as applied to claim 27 and further in view of PRICHARD (US Patent No. 5,380,301). Davila or Suzuki each disclose the claimed invention as discussed above, except for threaded connector, transverse wings, and nylon or peba material. Prichard teaches the use of transverse wings to facilitate handling of the hub and a threaded connector to connect to common medical devices. It would have been obvious to one of ordinary skill in the art at the time of the invention to use the teaching of Prichard in the device of Davila or Suzuki in order to facilitate handling the hub with a catheter. The use of nylon and peba in medical devices such as catheter hubs is notoriously well known. It would have been obvious to one of ordinary skill in the art at the time of the invention to use nylon and peba as the hub material in order to impart to the hub well-known properties of these materials known to be suitable in medical devices.

Conclusion

Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not

Art Unit: 3763

mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Michael Hayes at (703) 305-5873. The examiner can usually be reached Monday -Thursday, 7:00-4:30, and on alternate Fridays. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Brian Casler, can be contacted at (703) 308-3552. The fax number for submitting official papers is (703) 872-9306.

mjh 20 May 2004

MICHAEL J. HAYES PRIMARY EXAMINER

M/ Hayer